


Adapter Guide

Valve Adapter kits

Valve adapter kits for RVAN,
RVAZ and RTA(O)M actuators.

Guidance how to choose adapter
after taking measurements of valve.





ADAPTERS FOR THE THERMAL ACTUATORS RTA(O)M

Adapters for using the RTA(O)M actuators to valves of other brands.

Article	Valve supplier	Connection Valve	Colour	Closing measure A (mm)	Note
VA02	LK/Uponor	M30 x 1.5	Grey with red stem	17	000
VA10	Siemens/ Oventrop	M30	Light Grey	11	000
V16H	Herz	M28 x 1.5	Grey with red stem	8.25	000
VA17	MMA	M28 x 1.5	White	11.5	000
VA26	Giacomini	Clamping ring	Grey	4.2	000
VA32	TA	M28 x 1.5	Green	7.75	000
VA39	Oventrop	M30 x 1.5	White	10.5	000
VA41	Danfoss AB-QM	M30 x 1.5	Dark green	9.5	000
VA50	Honeywell/Braukmann/ Sauter/Broen	M30 x 1.5	Dark grey	10	000
VA54	MMA, Regin (CTV, RTV, FVR)	M28 x 1.5	Dark blue	9	000
VA59	Danfoss RAV/L	Clamping Ring	Light grey	N/A	000
VA64	Pettinaroli	M28 x 1.5	Grey	17.8	000
VA66	Industrietechnik	M30 x 1.5	Grey	12.8	000
VA72	Danfoss RAV	Grub screw	Light Grey	N/A	000
VA78	Danfoss RA	Grub screw	White	N/A	000
VA80	TA/Heimeier/Honeywell/ Siemens/ Sauter	M30 x 1.5	White/ grey	10.5	000
VA90	Valsir/Sauter/IMI	M30 x 1.5	Red	11.5	000

Article	Description	Note
RTA-CASE	Adapter case containing an assortment of adapters for testing on site	000

QUICK GUIDE TO CHOOSE ADAPTER AFTER TAKING MEASUREMENTS OF VALVE

Measure the valve in closed position (NC)* (A in image on next page). Subtract 0.5 mm for safety margin and compensation for tolerance. Compare the result with column "Closing measure A (mm)" in the above table and see which adapter to use. As an example: If you measure 10.5 mm on the valve in close position and valve stroke is within actuator stroke limitation, you choose an adapter with closing measurements of 10 mm. In this example it would be VA50, if the valve is M30 x 1.5.

Make sure the same measurements in open position is within the actuator stroke range. For instance, the 100N actuator with 4 mm stroke would in the above example have an upper limit of 10 (closing measurement) + 4 (actuator max stroke) = 14 mm. If the valve has a larger stroke, the stroke of the valve is reduced by the actuator. This can lead to a reduced max flow. If reduction of flow is unacceptable, use Regin's 125N actuator with 6,5 mm stroke instead.

If you can't find a suitable adapter in the above list, please contact Regin for further help. *NC, normally closed actuator refers to valves that closes when the stem is pushed into the valve, like radiator valves usually do. For valves closing upwards (when valve stem is pushed out of valve with a spring normally) you must think in the opposite way.



VA02



VA10



VA16H



VA17



VA26



VA32



VA39



VA41



VA50



VA54



VA59



VA64



VA66



VA72



VA78



VA80



VA90



A: Dimension of valve closed

B: Dimension of valve open

C: Important: Reference for measurement = top edge of thread

D: Diameter of screw thread (e.g. M30 x 1,5)

E: Thread pitch, usually 1,5 mm as in M30 x 1,5



A	10,5 MM
B	11 MM
D	30 MM
E	1,5 MM

---> VA50 + RTA (O)M100 (4 mm, 100N)

ADAPTERS FOR THE ELECTROMECHANICAL ACTUATORS RVAN & RVAZ



ABS, VADSTENA, VM (SHUNTMASTER)

Valve	DN min.-max.	Stroke	Actuator	Adapter type
SV...25	25 mm	20 mm	RVAN5...	OVA-131
SV...27	25 mm	20 mm	RVAN5...	OVA-131
SV...33	32 mm	20 mm	RVAN5...	OVA-131
SV...35	32 mm	20 mm	RVAN5...	OVA-131
SV...36	32 mm	20 mm	RVAN5...	OVA-131
SV...47	40 mm	20 mm	RVAN5...	OVA-131
SV...54	50 mm	40 mm	RVAN18...	OVA-031
SV...55	50 mm	40 mm	RVAN18...	OVA-031
SV...56	50 mm	40 mm	RVAN18...	OVA-031
SV...62	65 mm	40 mm	RVAN18...	OVA-031
SV...65	65 mm	40 mm	RVAN18...	OVA-031
SV...66	65 mm	40 mm	RVAN18...	OVA-031
SV...67	65 mm	40 mm	RVAN18...	OVA-031

ALBION

Valve	DN min.-max.	Stroke	Actuator	Adapter type
ART20	15 - 32 mm	4 mm	RVAZ2...	N/A



ARI ARMATUREN

Valve	DN min.-max.	Stroke	Actuator	Adapter type
485-489	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1
485-489	40 - 50 mm	14 mm	RVAN18...	OVA-A3
485-489	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2



BELIMO

Valve	DN min.-max.	Stroke	Actuator	Adapter type
H4	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015
H5	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015
H6	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015
H6	65 mm (kvs 58)	18 mm	RVAN10...	OVA-015
H7	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015
H7	65 mm (kvs 58)	18 mm	RVAN10...	OVA-015
H7	80 mm (kvs 90)	18 mm	RVAN10...	OVA-015

BROEN


Valve	DN min.-max.	Stroke	Actuator	Adapter type
Ballorex dynamic	15 - 32 mm	3 mm	RVAZ2...	N/A

CALEFFI

Valve	DN min.-max.	Stroke	Actuator	Adapter type
145-series	15 - 25 mm	4 mm	RVAZ2...	N/A

CIMBERIO

Valve	DN min.-max.	Stroke	Actuator	Adapter type
Cim 716	10 - 32 mm	4 mm	RVAZ2...	N/A
Cim 717	15 - 32 mm	4 mm	RVAZ2...	N/A



CONTROLLI

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VLX	15 - 25 mm	4 mm	RVAZ2...	N/A
VMB	15 - 50 mm	16.5 mm	RVAN5.../RVAN10...	OVA-141
VMX	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VMXT	15 - 25 mm	5.5 mm	RVAZ2...	N/A
VSB	15 - 50 mm	16.5 mm	RVAN5.../RVAN10...	OVA-141
VSX	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VSX..PB	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VSX..PB	15 - 20 mm	5 mm	RVAZ2...	N/A
VSX..PB	25 - 32 mm	5.5 mm	RVAZ2...	N/A
VSXT	15 - 25 mm	5.5 mm	RVAZ2...	N/A
VSXT..PB	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VSXT..PB	15 - 20 mm	5 mm	RVAZ2...	N/A
VSXT..PB	25 - 32 mm	5.5 mm	RVAZ2...	N/A
VTX	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VXTX	15 - 25 mm	5.5 mm	RVAZ2...	N/A

CRANE

Valve	DN min.-max.	Stroke	Actuator	Adapter type
D995	15 - 32 mm	4 mm	RVAZ2...	N/A



DANFOSS

Valve	DN min.-max.	Stroke	Actuator	Adapter type
AB-QM	10 - 20 mm	2.3 mm	RVAZ2...	N/A
AB-QM	25 - 32 mm	4.5 mm	RVAZ2...	N/A
AHQM	15 mm	5.5 mm	RVAZ2...	N/A
AHQM	20 - 32 mm	5 mm	RVAZ2...	N/A
(H)VF2/(H)VF3	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020
(H)VFS2	15 - 25 mm	15 mm	RVAN5.../RVAN10...	OVA-020
(H)VL2/(H)VL3	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020
(H)VRB2/(H)VRB3	15 mm	10 mm	RVAN5...	OVA-020
(H)VRB2/(H)VRB3	20 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020
(H)VRG2/(H)VRG3	15 mm	10 mm	RVAN5...	OVA-020
(H)VRG2/(H)VRG3	20 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020
VMO	15 - 25 mm	17 mm	RVAN5...	OVA-020
VR2/VR3	15 - 25 mm	15 mm	RVAN5.../RVAN10...	OVA-020
VS2	15 mm	4 mm	RVAZ2...	N/A
VZ 2	15 - 20 mm	5.5 mm	RVAZ2...	N/A
VZ 3	15 - 20 mm	5.5 mm	RVAZ2...	N/A
VZ 4	15 - 20 mm	5.5 mm	RVAZ2...	N/A
VZL 2	15 - 20 mm	2.8 mm	RVAZ2...	N/A
VZL 3	15 - 20 mm	2.8 mm	RVAZ2...	N/A
VZL 4	15 - 20 mm	2.8 mm	RVAZ2...	N/A



ESBE

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VL2FA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2FAA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2FC	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2FD	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2FDA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2FS	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2TA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2TAA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2TB	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL2TBA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL3FA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL3FC	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131



ESBE

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VL3TA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VL3TB	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLA121	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLA131	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLA221	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLA325	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLA325	65 mm	25 mm	RVAN18.../RVAN25...	N/A
VLA325	65 mm	25 mm	RVAN18.../RVAN25...	OVA-031
VLA325	80 - 150 mm	45 mm	RVAN18.../RVAN25...	OVA-031
VLA335	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLB335	65 mm	25 mm	RVAN18.../RVAN25...	OVA-031
VLA335	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4
VLA425	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLB125	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VLB135	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VLB225	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLB225	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4
VLB235	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLB235	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4
VLB325	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLB325	65 mm	25 mm	RVAN5.../RVAN10...	OVA-131
VLB325	65 mm	25 mm	RVAN18.../RVAN25...	OVA-031
VLB325	80 - 150 mm	45 mm	RVAN18.../RVAN25...	OVA-131
VLB335	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLB335	80 - 150 mm	45 mm	RVAN18.../RVAN25...	OVA-031
VLB335b	65 mm	25 mm	RVAN5.../RVAN10...	OVA-131
VLC125	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLC225	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLC325	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLC425	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLE122	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLE132	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLE222	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLE325	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLF125	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLF135	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
VLF335	65 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-F4

FLOWCON

Valve	DN min.-max.	Stroke	Actuator	Adapter type
Green.0	15 - 25 mm	3.4 mm	RVAZ2...	N/A
Green.1	15 - 25 mm	3.4 mm	RVAZ2...	N/A
Green.2	25 - 32 mm	5.2 mm	RVAZ2...	N/A

FRESE

Valve	DN min.-max.	Stroke	Actuator	Adapter type
Optima Compact	10 - 32 mm	2.5/5.0/5.5 mm	RVAZ2...	N/A
Optima Compact	40 - 50 mm	15 mm	RVAN5...	2951363701



GEAMATIC

Valve	DN min.-max.	Stroke	Actuator	Adapter type
V121G (M6 threaded stem)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-161

GIACOMINI

Valve	DN min.-max.	Stroke	Actuator	Adapter type
R206AM	15 - 50 mm	4 mm	RVAZ2...	N/A
R206A	15 - 20 mm	4 mm	RVAZ2...	N/A

HERZ

Valve	DN min.-max.	Stroke	Actuator	Adapter type
4006	15 - 50 mm	4 mm	RVAZ2...	N/A
4206	15 - 50 mm	4 mm	RVAZ2...	N/A



HONEYWELL

Valve	DN min.-max.	Stroke	Actuator	Adapter type
V176A	15 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V176B	20 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V176B	100 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V186	15 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V186	20 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V186	100 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V5004TY Kombi-QM	15 - 25 mm	2.7 mm	RVAZ2...	VA748X
V5004TY Kombi-QM	20 - 32 mm	6 mm	RVAZ2...	VA748X
V538C6xxx	50 - 150 mm	27 - 40 mm	RVAN18.../RVAN25...	OVA-013
V5011R	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5013A	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5013F	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5013R	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5015A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V5016A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5016A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V5025A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5025A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V5049A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5049A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V5050A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5050A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013
V5095A	20 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5328A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5329A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5329C	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V538C3xxx	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011
V5833A (High neck version)	25 - 40 mm	6.5 mm	RVAZ2...	02133007
V5832A (High neck version)	25 - 40 mm	6.5 mm	RVAZ2...	02133007



IMI/TA HYDRONIC

Valve	DN min.-max.	Stroke	Actuator	Adapter type
Calypso TRV-3	10 - 20 mm	2.5 mm	RVAZ2...	N/A
Eclipse	10 - 20 mm	2.5 mm	RVAZ2...	N/A
KTCM512	15 - 25 mm	4.3 mm	RVAZ2...	N/A
KTM512	15 - 50 mm	10 mm	RVAN5...	OVA-171
TA-COMPACT-P	10 - 32 mm	4.2 mm	RVAZ2...	N/A
TA-Modulator	15 - 20 mm	4 mm	RVAZ2...	N/A
TA-Modulator	25 - 32 mm	6.5 mm	RVAZ2...	N/A
TBV-C	15 - 20 mm	3.7 mm	RVAZ2...	N/A
TBV-C	25 mm	4.4 mm	RVAZ2...	N/A
TBV-CM	15 - 25 mm	4.3 mm	RVAZ2...	N/A
TBV-CMP	15 - 25 mm	4.3 mm	RVAZ2...	N/A


INDUSTRIETECHNIK

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VFX	15 - 20 mm	2.5 mm	RVAZ2...	N/A



KIEBACK UND PETER

Valve	DN min.-max.	Stroke	Actuator	Adapter type
RF	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1
RF	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2
RK	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1
RK	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2



JOHNSON CONTROLS

Valve	DN min.-max.	Stroke	Actuator	Adapter type
BM-2x2	15 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-JI
BM-2x8	15 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-JI
V5210	10 - 20 mm	4 mm	RVAZ2...	N/A
V5510	10 - 20 mm	3.7 mm	RVAZ2...	N/A
V5810	10 - 20 mm	3.7 mm	RVAZ2...	N/A
VG320	15 - 25 mm	4 mm	RVAZ2...	N/A
VG321	15 - 25 mm	4 mm	RVAZ2...	N/A
VG324	15 - 25 mm	4 mm	RVAZ2...	N/A
VG329	15 - 25 mm	4 mm	RVAZ2...	N/A
VG330	15 - 25 mm	4 mm	RVAZ2...	N/A
VG331	15 - 25 mm	4 mm	RVAZ2...	N/A
VG341	15 - 25 mm	4 mm	RVAZ2...	N/A
VG349	15 - 25 mm	4 mm	RVAZ2...	N/A
VG6210	15 - 25 mm	2.5 mm	RVAZ2...	N/A
VG6510	15 - 25 mm	2.5 mm	RVAZ2...	N/A
VG6810	15 - 25 mm	2.5 mm	RVAZ2...	N/A
VG7201/VG7203	25 - 32 mm	13 mm	RVAN5.../RVAN10...	OVA-JI
VG7201/VG7203	40 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-JI
VG7401/VG7403	40 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-JI
VG7401/VG7403	25 - 32 mm	13 mm	RVAN5.../RVAN10...	OVA-JI
VG7802/VG7804	25 - 32 mm	13 mm	RVAN5.../RVAN10...	OVA-JI
VG7802/VG7804	40 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-JI
VP140	15 - 20 mm	3 mm	RVAZ2...	VA748X
VP140	25 mm	6 mm	RVAZ2...	VA748X



L&G, L&S, SIEMENS VALVES

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VFF31 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VFF32 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VFF33 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VFF34 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VFF35 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VFF36 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031
VFG31 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VFG32 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VFG33 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VFG34 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VFG35 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VFG36 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VMP43	15 - 20 mm	5.5 mm	RVAZ4L1...	OVA-L1
VMP45	10 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
VMP47	10 - 20 mm	2.5 mm	RVAZ2...	N/A
VPF52E	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VPF52F	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VPI46..	15 - 32 mm	2.5 / 4.5 / 5 mm	RVAZ2...	N/A
VPI46..Q	15 - 32 mm	2.5 / 4.5 / 5 mm	RVAZ2...	N/A
VPP46..	10 - 32 mm	2.5 / 4.5 / 5 mm	RVAZ2...	N/A
VQI46..	15 - 25 mm	4 mm	RVAZ2...	N/A
VQI46..Q	15 - 25 mm	4 mm	RVAZ2...	N/A
VQP46..	10 - 25 mm	4 mm	RVAZ2...	N/A
VQP46--Q	10 - 25 mm	4 mm	RVAZ2...	N/A
WVF21	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
WVF21	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082
WVF22	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
WVF22	25 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
WVF22 (Until 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
WVF22 (From 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082
WVF31	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
WVF31	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
WVF32	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
WVF32	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
WVF32 (Until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
WVF32 (From 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
WVF40	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
WVF40	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
WVF41	50 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082
WVF42	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081



L&G, L&S, SIEMENS VALVES

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VVF42	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081
VVF42 (Until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF42 (From 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VVF42...K	50 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081 + 02133011
VVF42...K	50 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF42...K	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF43	65 - 250 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF45	50 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082
VVF51	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VVF52	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VVF53	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF53	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VVF53	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF53...K	50 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF53...K	50 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VVF53...K	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VVF53...K	200 - 250 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VVF61	40 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082
VVF61	15 - 25 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VVG11	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VVG11 (VARIVALVE)	15 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVG12 (VARIVALVE)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VVG41	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VVG44	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVG48	20 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVG55	15 - 25 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVG549	15 - 25 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVI46	15 - 25 mm	2.5 mm	RVAZ2...	N/A
VVI52	15 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVP45	10 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
VVP46..Q	10 - 32 mm	2.5 / 4.5 / 5 mm	RVAZ2...	N/A
VVP47	10 - 20 mm	2.5 mm	RVAZ2...	N/A
VVS46	15 - 25 mm	2.5 mm	RVAZ2...	N/A
VXF21	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF21	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VXF22	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081



L&G, L&S, SIEMENS VALVES

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VXF22	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF22 (From 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VXF22 (Until 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VXF31	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF31	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VXF32	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF32	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF32 (Until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VXF32 (From 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VXF40	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF40	100 - 150 mm	10 mm	RVAN18.../RVAN25...	OVA-082
VXF41	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF41	50 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VXF42	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF42	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF42 (Until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VXF42 (From 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082
VXF43	65 - 250 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011
VXF53	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF61	15 - 25 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXF61	40 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082
VXG11	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VXG11 (VARIVALVE)	15 mm	5.5 mm	RVAZ4L1...	OVA-L1
VXG12 (VARIVALVE)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134
VXG41	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-081
VXG44	15 - 50 mm	5.5 mm	RVAZ4L1...	OVA-L1
VXG48	20 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
VXI46	15 - 25 mm	2.5 mm	RVAZ2...	N/A
VXP45	10 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
VXP47	10 - 20 mm	2.5 mm	RVAZ2...	N/A
VXS46	15 - 25 mm	2.5 mm	RVAZ2...	N/A



LDM

Valve	DN min.-max.	Stroke	Actuator	Adapter type
RV 111/F	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
RV 111/T	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1
RV 111/W	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1



MMA/PURMO

Valve	DN min.-max.	Stroke	Actuator	Adapter type
Evoflow	15 - 20 mm	1.7 mm	RVAZ2...	29214112001
FVAV	15 - 20 mm	1.7 mm	RVAZ2...	29214112001
FVR	15 - 20 mm	1.7 mm	RVAZ2...	29214112001
FVRe	15 - 20 mm	1.7 mm	RVAZ2...	29214112001
FVV	15 - 20 mm	1.7 mm	RVAZ2...	29214112001
FVXR	10 - 15 mm	1.7 mm	RVAZ2...	29214112001
TOV	15 - 20 mm	2.5 mm	RVAZ2...	N/A
TOV	15 - 20 mm	5 mm	RVAZ2...	N/A
TOV	25 - 32 mm	5.5 mm	RVAZ2...	N/A
TOV	40 - 50 mm	15 mm	RVAN5...	2951363701
VHR	15 - 25 mm	1.7 mm	RVAZ2...	29214112001



OLD OSBY VALVES

Valve	DN min.-max.	Stroke	Actuator	Adapter type
2SA/2SB	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-132
2SB	100 mm	38 mm	RVAN18...	OVA-133
CVF	20 - 65 mm	32 mm	RVAN18...	OVA-133
GTR/GTV	25 - 50 mm	20 - 24 mm	RVAN5.../RVAN10...	OVA-132
GTR/GTV	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-133
MTR/MTV	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132



OSBY VALVES (OAB)

Valve	DN min.-max.	Stroke	Actuator	Adapter type
2SAS, 2SBS, 2SAM, 2SBM	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
2SBS, 2SBM	100 mm	38 mm	RVAN18...	OVA-F2
BTR	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3
BTV (Until 2018-12)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3 + 2921451401
CVFS	20 - 65 mm	32 mm	RVAN18...	OVA-F2
ETRS (Until 2019-12)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
ETRSU	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
ETVS (Until 2021-04)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
ETVSU	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
FRS	32 - 65 mm (kvs 10 - 20)	20 mm	RVAN18...	OVA-F2
FRS, FRSD	15 - 65 mm (kvs 0.6 - 6.3)	20 mm	RVAN5.../RVAN10...	OVA-F1
GTVS, GTRS	32 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
GTVS, GTRS	50 - 150 mm	24 - 40 mm	RVAN18.../RVAN25...	OVA-F2
VA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3
MRT	20 - 25 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
MTVS, MTRS (Until 2019-12)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
NMTV, NMTR	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-121
NTVS	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-F1
NTVS	100 - 150 mm	38. 40 mm	RVAN18.../RVAN25...	OVA-F2
STR, STV	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-121
V, R	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-134

OVENTROP

Valve	DN min.-max.	Stroke	Actuator	Adapter type
Cocon 2TZ	15 - 20 mm	2.5 mm	RVAZ2...	N/A
Cocon QTZ	10 - 32 mm	2.8 / 3.5 / 4 mm	RVAZ2...	N/A
Tri-M Plus	15 mm	2.5 mm	RVAZ2...	N/A

PETTINAROLI

Valve	DN min.-max.	Stroke	Actuator	Adapter type
91-series	10 - 25 mm	2.7 mm	RVAZ2...	N/A
92-series	15 - 20 mm	3 mm	RVAZ2...	N/A
92-series	25 mm	6 mm	RVAZ2...	N/A
93-series	20 - 32 mm	6 mm	RVAZ2...	N/A



REGIN

Valve	DN min.-max.	Stroke	Actuator	Adapter type
CTV	10 - 20 mm	5.8 mm	RVAZ2...	29214112001
FVR	15 mm	1.7 mm	RVAZ2...	29214112001
PCMTV	15 - 25 mm	2.7 mm	RVAZ2...	VA748X
PCMTV	20 - 32 mm	6 mm	RVAZ2...	VA748X
PCTVS	15 - 20 mm	2.7 mm	RVAZ2...	VA748X
RTV	10 - 15 mm	1.7 mm	RVAZ2...	29214112001
VTTV/VTTR/VTTB	15 - 20 mm	2.5 mm	RVAZ2...	N/A



RICCIUS + SOHN

Valve	DN min.-max.	Stroke	Actuator	Adapter type
HMVF2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1
HMVF2	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-H2
HMVF3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1
HMVF3	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-H2
HMVFA2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1
HMVFA2	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2
HMVFA3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1
HMVFA3	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2
RGV2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1
RGV3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1
RCVA2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1
RCVA3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1



SATCHWELL

Valve	DN min.-max.	Stroke	Actuator	Adapter type
SVB-XXX-F3	50 - 150 mm	23 - 40 mm	RVAN18.../RVAN25...	OVA-133
SVG-XXX-F3	50 - 150 mm	23 - 40 mm	RVAN18.../RVAN25...	OVA-133
SVR-G2	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132
SVR-G3	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132
SVR-XXX-F3	50 - 150 mm	23 - 40 mm	RVAN18.../RVAN25...	OVA-133
VZ, MVZ	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132
VZF, MVZF	65 - 150 mm	27 - 40 mm	RVAN18.../RVAN25...	OVA-133



SAUTER

Valve	DN min.-max.	Stroke	Actuator	Adapter type
B6F	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
B6G	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
B6R	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
B6S	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
BUL	10 - 20 mm	3.7 mm	RVAZ2...	N/A
BUT	10 - 20 mm	3 mm	RVAZ2...	N/A
BXD	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
BXE	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
BXL	25 - 40 mm	2.9 mm	RVAZ2...	N/A
V6F	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
V6G	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
V6R	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
V6S	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
VCL	10 - 32 mm	2.8 / 3.5 / 4 mm	RVAZ2...	N/A
VDL	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VDL	15 - 20 mm	5 mm	RVAZ2...	N/A
VDL	25 - 32 mm	5.5 mm	RVAZ2...	N/A
VUL	10 - 20 mm	4 mm	RVAZ2...	N/A
VUT	10 - 20 mm	3/4 mm	RVAZ2...	N/A
VXD	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
VXE	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151
VXL	10 - 20 mm	2.5 mm	RVAZ2...	N/A



TAC + SCHNEIDER

Valve	DN min.-max.	Stroke	Actuator	Adapter type
STL	20 - 65 mm	31.5 mm	RVAN18...	OVA-031
STL-SR	20 - 65 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V211	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V211T	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V212	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V212T	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V221	65 - 100 mm	30/39.5 mm	RVAN18.../RVAN25...	OVA-031
V222	65 - 100 mm	30 mm	RVAN18...	OVA-031
V231	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V232	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V241	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V265	40 - 100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031
V282	15 mm	15 mm	RVAN5...	OVA-231
V282	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V282	40 - 50 mm	31.5 mm	RVAN18...	OVA-031
V292	15 mm	15 mm	RVAN5...	OVA-231
V292	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V292	40 - 100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031
V294	15 mm	15 mm	RVAN5...	OVA-231
V294	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V295	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V295	40 - 100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031
V298	20 - 40 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V311	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V311T	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V321	65 - 100 mm	30 mm	RVAN18...	OVA-031
V341	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V353	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V384	15 mm	15 mm	RVAN18...	OVA-031
V384	20 - 32 mm	22 mm	RVAN5...	OVA-231
V384	40 - 50 mm	31.5 mm	RVAN18...	OVA-031
V386	15 mm	15 mm	RVAN5...	OVA-231
V386	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V386	40 - 50 mm	31.5 mm	RVAN18...	OVA-031
V392	15 mm	15 mm	RVAN18...	OVA-031
V392	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131
V392	40 - 50 mm	31.5 mm	RVAN18...	OVA-031
V394	15 mm	15 mm	RVAN5...	OVA-231
V394	20 - 50 mm	20 mm	RVAN18...	OVA-031
V394	40 - 53 mm	31.5 mm	RVAN18...	OVA-031
V395	40 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131
V395	65 - 100 mm	30/39.5 mm	RVAN18.../RVAN25...	OVA-031



TAC + SCHNEIDER

Valve	DN min.-max.	Stroke	Actuator	Adapter type
VG211	15 - 50 mm	16.5/25 mm	RVAN5.../RVAN10...	OVA-131
VG221F	65 mm	25 mm	RVAN10...	OVA-131
VG221F	80 - 150 mm	45 mm	RVAN18.../RVAN25...	OVA-031
VG222	65 - 150 mm	25/45 mm	RVAN18.../RVAN25...	OVA-031
VG311F	65 mm	25 mm	RVAN10...	OVA-131
VG311F	65 - 150 mm	25/45 mm	RVAN18.../RVAN25...	OVA-031
VG321	65 - 150 mm	25 - 45 mm	RVAN18.../RVAN25...	OVA-031
VP228E	15 - 20 mm	2.25 mm	RVAZ2...	N/A
VP229E	15 - 20 mm	4 mm	RVAZ2...	N/A
VP229E	25 - 32 mm	4.5 mm	RVAZ2...	N/A
VZ208x	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VZ219x	15 - 20 mm	5.5 mm	RVAZ2...	N/A
VZ28/VZ28C	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VZ308x	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VZ319x	15 - 20 mm	5.5 mm	RVAZ2...	N/A
VZ38/VZ38C	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VZ408x	15 - 20 mm	2.5 mm	RVAZ2...	N/A
VZ419x	15 - 20 mm	5.5 mm	RVAZ2...	N/A
VZ48/VZ48C	15 - 20 mm	2.5 mm	RVAZ2...	N/A

TIGER CONTROLS

Valve	DN min.-max.	Stroke	Actuator	Adapter type
TD2V	15 - 25 mm	4 mm	RVAZ2...	N/A

VIROLINE/VIR

Valve	DN min.-max.	Stroke	Actuator	Adapter type
9700	15 - 32 mm	3 mm	RVAZ2...	N/A
9705	15 - 32 mm	3 mm	RVAZ2...	N/A
9920	15 - 25 mm	3 mm	RVAZ2...	N/A
9925	15 - 25 mm	3 mm	RVAZ2...	N/A

WATTS INDUSTRIES

Valve	DN min.-max.	Stroke	Actuator	Adapter type
2131	15 - 25 mm	2.5 mm	RVAZ2...	N/A
3131	15 - 25 mm	2.5 mm	RVAZ2...	N/A
4131	15 - 25 mm	2.5 mm	RVAZ2...	N/A
4131	15 - 32 mm	3 mm	RVAZ2...	N/A



WSE/NORSHUNT

Valve	DN min.-max.	Stroke	Actuator	Adapter type
FM25	25 mm	23.5 mm	RVAN5.../ RVAN10...	OVA-FM25
FM50	50 mm	37.5 mm	RVAN18...	OVA-FM50

Read more about our adapter kits!

Simply use the QR code
below to get direct access to our
webpage with collected information
about our adapter kits.



**READ
MORE!**
USE QR



Gothenburg, Sweden
+46 31-720 02 00
info@regin.se



Rheine, Germany
+49 5971 91133-0
info@deos-ag.com



Bressanone, Italy
+39 0472 830 626
info@industrietechnik.it

VISIT US AT **REGINGROUP.COM**